

## EAST Search History

| Ref # | Hits | Search Query  | DBs  | Default Operator | Plurals | Time Stamp       |
|-------|------|---|--|------------------|---------|------------------|
| L1    | 0    | "6662327" and deterministic and test adj pattern and ATPG and multiplex\$3 and software | USPAT  | OR               | OFF     | 2006/04/21 15:21 |
| L2    | 1    | "6662327" and deterministic and test adj pattern and ATPG and multiplex\$3 and memory   | USPAT  | OR               | OFF     | 2006/04/21 15:28 |
| S1    | 3    | "20050114747"   | US-PGPUB;<br>USPAT;<br>USOCR;<br>EPO;<br>DERWENT;<br>IBM_TDB | OR               | ON      | 2006/04/20 13:29 |
| S2    | 1691 | lateral adj insertion   | US-PGPUB;<br>USPAT;<br>USOCR;<br>EPO;<br>DERWENT;<br>IBM_TDB | OR               | ON      | 2006/04/20 13:29 |
| S3    | 6    | (lateral adj insertion) and (scan adj chain)  | US-PGPUB;<br>USPAT;<br>USOCR;<br>EPO;<br>DERWENT;<br>IBM_TDB | OR               | ON      | 2006/04/20 13:56 |
| S4    | 44   | "5903466"   | US-PGPUB;<br>USPAT;<br>USOCR;<br>EPO;<br>DERWENT;<br>IBM_TDB | OR               | ON      | 2006/04/20 13:33 |
| S5    | 2    | "20030029341"   | US-PGPUB;<br>USPAT;<br>USOCR;<br>EPO;<br>DERWENT;<br>IBM_TDB | OR               | ON      | 2006/04/20 13:33 |
| S6    | 3320 | (scan adj chain)  | US-PGPUB;<br>USPAT;<br>USOCR;<br>EPO;<br>DERWENT;<br>IBM_TDB | OR               | ON      | 2006/04/20 13:56 |
| S7    | 331  | (scan adj chain) and deterministic  | US-PGPUB;<br>USPAT;<br>USOCR;<br>EPO;<br>DERWENT;<br>IBM_TDB | OR               | ON      | 2006/04/20 13:56 |

## EAST Search History

|     |       |                                   |  |    |    |                  |
|-----|-------|-----------------------------------|--|----|----|------------------|
| S8  | 185   | "714"/\$.cccls. and S7            | US-PGPUB;<br>USPAT;<br>USOCR;<br>EPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2006/04/20 13:57 |
| S9  | 166   | S8 and clock\$1                   | US-PGPUB;<br>USPAT;<br>USOCR;<br>EPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2006/04/20 13:57 |
| S10 | 297   | S7 and clock\$1                   | US-PGPUB;<br>USPAT;<br>USOCR;<br>EPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2006/04/20 13:57 |
| S11 | 295   | S10 and test                      | US-PGPUB;<br>USPAT;<br>USOCR;<br>EPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2006/04/20 13:58 |
| S12 | 185   | S10 and test adj pattern\$1       | US-PGPUB;<br>USPAT;<br>USOCR;<br>EPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2006/04/20 14:02 |
| S13 | 156   | S8 and test adj pattern\$1        | US-PGPUB;<br>USPAT;<br>USOCR;<br>EPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2006/04/20 13:59 |
| S14 | 15262 | S9 and repeat\$3 or reiterat\$3   | US-PGPUB;<br>USPAT;<br>USOCR;<br>EPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2006/04/20 13:59 |
| S15 | 112   | S9 and (repeat\$3 or reiterat\$3) | US-PGPUB;<br>USPAT;<br>USOCR;<br>EPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2006/04/20 14:31 |

## EAST Search History

|     |     |   |  |    |     |                  |
|-----|-----|---|--|----|-----|------------------|
| S16 | 105 | S13 and (repeat\$3 or reiterat\$3)  | US-PGPUB;<br>USPAT;<br>USOCR;<br>EPO;<br>DERWENT;<br>IBM_TDB | OR | ON  | 2006/04/20 16:46 |
| S17 | 53  | S15 and stuck   | US-PGPUB;<br>USPAT;<br>USOCR;<br>EPO;<br>DERWENT;<br>IBM_TDB | OR | ON  | 2006/04/20 14:32 |
| S21 | 208 | "3783254"   | US-PGPUB;<br>USPAT;<br>USOCR;<br>EPO;<br>DERWENT;<br>IBM_TDB | OR | ON  | 2006/04/20 16:46 |
| S22 | 147 | "3783254"   | USPAT  | OR | ON  | 2006/04/20 16:47 |
| S23 | 17  | "3783254" and deterministic   | USPAT  | OR | ON  | 2006/04/20 16:47 |
| S24 | 1   | "6662327" and deterministic and<br>test adj pattern and ATPG and<br>multiplex\$3                    | USPAT  | OR | OFF | 2006/04/21 15:20 |
| S25 | 1   | "6662327" and deterministic and<br>test adj pattern and ATPG and<br>multiplex\$3 and scan adj chain | USPAT  | OR | OFF | 2006/04/21 14:18 |
| S26 | 1   | "20050229057" and perturbations   | US-PGPUB   | OR | OFF | 2006/04/21 14:19 |



Welcome United States Patent and Trademark Office

[Search Session History](#)[BROWSE](#)[SEARCH](#)[IEEE XPLORE GUIDE](#)[SUPPORT](#)

Fri, 21 Apr 2006, 1:25:28 PM EST

Edit an existing query or  
compose a new query in the  
Search Query Display.

## Search Query Display

Select a search number (#)  
to:

- Add a query to the Search Query Display
- Combine search queries using AND, OR, or NOT
- Delete a search
- Run a search

## Recent Search Queries

## Results

|     |   | Results |
|-----|---|---------|
| #1  | ((lfsr-coded <and> test <and> patterns <and> scan <and> designs)<in>metadata)           | 0       |
| #2  | ((test <and> patterns <and> scan <and> designs)<in>metadata)                            | 610     |
| #3  | ((lfsr <and> test <and> patterns <and> scan <and> designs)<in>metadata)                 | 33      |
| #4  | ((lfsr <and> test <and> patterns <and> scan <and> designs)<in>metadata)                 | 33      |
| #5  | (( koenemann<in>au ) <and> ( scan<in>ti ) )<and> ( test<in>ti )                         | 1       |
| #6  | (( koenemann<in>au ) <and> ( scan<in>ti ) )<and> ( test<in>ti )                         | 1       |
| #7  | (( koenemann<in>au ) <and> ( scan<in>ti ) )<and> ( test<in>ti )                         | 1       |
| #8  | (( koenemann<in>au ) <and> ( scan<in>ti ) )<and> ( test<in>ti )                         | 1       |
| #9  | (( koenemann<in>au ) <and> ( scan<in>ti ) )<and> ( test<in>ti )                         | 1       |
| #10 | (( koenemann<in>au ) <and> ( test<in>ti ) )   | 9       |
| #11 | (( european<in>cs ) ) <and> (pyr >= 1991 <and> pyr <= 1991)                             | 14      |
| #12 | ((((test <and> patterns <and> scan)<in>metadata)) <and> (pyr >= 1990 <and> pyr <= 1992) | 68      |
| #13 | ((((test <and> patterns <and> scan)<in>metadata)) <and> (pyr >= 1990 <and> pyr <= 1992) | 68      |
| #14 | ((((test <and> patterns <and> scan)<in>metadata)) <and> (pyr >= 1990 <and> pyr <= 1992) | 68      |
| #15 | ((((test <and> patterns <and> scan)<in>metadata)) <and> (pyr >= 1991 <and> pyr <= 1991) | 25      |
| #16 | ((((test <and> patterns <and> scan)<in>metadata)) <and> (pyr >= 1991 <and> pyr <= 1991) | 25      |
| #17 | (( koenemann<in>au ) ) <and> (pyr >= 1991 <and> pyr <= 1991)                            | 0       |
| #18 | (( koenemann<in>au ) ) <and> (pyr >= 1991 <and> pyr <= 1991)                            | 0       |